Please check the examination details below before entering your candidate information

Candidate surname	Other names
Solved by Mr. Pabitra	

Centre Number | Candidate Number

Pearson Edexcel International Advanced Level

Thursday 9 October 2025

Morning (Time: 1 hour 30 minutes)

Paper reference **WMA11/01**

Mathematics

International Advanced Subsidiary/Advanced Level

Pure Mathematics P1

You must have:
Mathematical Formulae and Statistical Tables (Yellow), calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 10 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*

Advice

Solved by Mr. Pabitra | Math Tonic

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶

©2025 Pearson Education Ltd.
M:1/1/1/

Pearson

1. The curve C has equation

$$y = 6x^2 + 3\sqrt{x} + \frac{5}{8} \qquad x > 0$$

(a) Find $\frac{dy}{dx}$ writing the answer in simplest form.

(3)

The point $P\left(\frac{1}{4}, \frac{5}{2}\right)$ lies on C.

(b) Find the equation of the tangent to C at P, writing your answer in the form $y = mx + c$ where m and c are integers.

(3)

(a) $y = 6x^2 + 3x^{1/2} + \frac{5}{8}$

$$\frac{dy}{dx} = 12x + \frac{3}{2}x^{-1/2} = 12x + \frac{3}{2\sqrt{x}}$$

(b) At $x = \frac{1}{4}$: $\frac{dy}{dx} = 12 \times \frac{1}{4} + \frac{3}{2} \times \frac{1}{\sqrt{\frac{1}{4}}} = 3 + \frac{3}{2} \times 2 = 6$

Tangent: $y - \frac{5}{2} = 6\left(x - \frac{1}{4}\right)$ $\quad y = 6x - \frac{3}{2} + \frac{5}{2}$

$$y = 6x + 1$$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 1 continued

(Total for Question 1 is 6 marks)

Solved by Mr. Pabitra

2. Find

$$\int (x-3)^2(2x+5)\,dx$$

writing the answer in simplest form.

(5)

Expand: $(x-3)^2 = x^2 - 6x + 9$

$(x^2 - 6x + 9)(2x + 5) = 2x^3 + 5x^2 - 12x^2 - 30x + 18x + 45$

$= 2x^3 - 7x^2 - 12x + 45$

$\int (2x^3 - 7x^2 - 12x + 45)\,dx = \frac{2x^4}{4} - \frac{7x^3}{3} - \frac{12x^2}{2} + 45x + c$

$= \frac{1}{2}x^4 - \frac{7}{3}x^3 - 6x^2 + 45x + c$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

MATH TONIC

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 5 marks)

Solved by Mr. Pabitra

3. The sides of a triangle are in the ratio 2 : 4 : 5

(a) Find the size of the **largest** angle of the triangle, in degrees, to one decimal place.

(2)

Given that the area of the triangle is 140 cm^2

(b) find the length of the **shortest** side, in cm, to one decimal place.

(3)

(a) Let the sides be 2k, 4k, 5k. The largest angle θ is opposite 5k.

$$\cos\theta = \frac{(2k)^2 + (4k)^2 - (5k)^2}{2 \times 2k \times 4k} = \frac{4 + 16 - 25}{16} = -\frac{5}{16}$$

$$\theta = \cos^{-1}\left(-\frac{5}{16}\right) = 108.209...^\circ$$

Largest angle = 108.2°

(b) Area $= \frac{1}{2} \times 2k \times 4k \times \sin\theta = 4k^2 \sin 108.209...^\circ = 140$

$$k^2 = \frac{140}{4 \sin 108.209...^\circ} = 36.846..., \quad k = 6.0700...$$

Shortest side $= 2k = 12.140...$

Shortest side = 12.1 cm

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

(Total for Question 3 is 5 marks)

Solved by Mr. Pabitra

4. **In this question you must show all stages of your working.**
Solutions relying on calculator technology are not acceptable.

(i) Using the laws of indices, solve

$$3^{2p-5} = \frac{1}{9}\sqrt{27}$$

(3)

(ii) Find the real roots of the equation

$$x^2 + 1 = \frac{36}{x^2 - 4}$$

(4)

(i) $\frac{1}{9}\sqrt{27} = 3^{-2} \times (3^3)^{1/2} = 3^{-2} \times 3^{3/2} = 3^{-1/2}$

$3^{2p-5} = 3^{-1/2}$ so $2p - 5 = -\frac{1}{2}$

$2p = \frac{9}{2}$

$\boxed{p = \frac{9}{4}}$

(ii) $(x^2 + 1)(x^2 - 4) = 36$

$x^4 - 4x^2 + x^2 - 4 - 36 = 0$ $\quad x^4 - 3x^2 - 40 = 0$

$(x^2 - 8)(x^2 + 5) = 0$

$x^2 = 8$ or $x^2 = -5$ (no real roots)

$\boxed{x = 2\sqrt{2} \quad \text{or} \quad x = -2\sqrt{2}}$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

Solved by Mr. Pabitra

Question 4 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

MATH TONIC

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 7 marks)

Solved by Mr. Pabitra

5.




Figure 1

In this question you must show all stages of your working.
Solutions relying on calculator technology are not acceptable.

(a) Express $2x^2 - 16x + 50$ in the form

$$a(x + b)^2 + c$$

where a, b and c are constants to be found.

(3)

Figure 1 shows a sketch of the curve C with equation $y = 2x^2 - 16x + 50$

Given that in Figure 1

- M is the minimum point on C
- line l passes through the origin and intersects C at the points M and P

(b) find, using algebra and showing your working, the x coordinate of P.

(5)

The region R is shown shaded in Figure 1.

(c) Use inequalities to fully define R.

(2)

(a) $2x^2 - 16x + 50 = 2(x^2 - 8x) + 50 = 2[(x - 4)^2 - 16] + 50$

$= 2(x - 4)^2 + 18$ $(a = 2, b = -4, c = 18)$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

(b) $M = (4, 18)$. l passes through O and M: $y = \frac{18}{4}x = \frac{9}{2}x$

$2x^2 - 16x + 50 = \frac{9}{2}x$ $\quad (\times 2)$

$4x^2 - 32x + 100 = 9x$ $\quad 4x^2 - 41x + 100 = 0$

$(x - 4)(4x - 25) = 0$ $\quad x = 4$ is M

x coordinate of $P = \frac{25}{4}$

(c) R is between the y-axis and M, above l and below C:

$\frac{9}{2}x \leq y \leq 2x^2 - 16x + 50, \quad 0 \leq x \leq 4$

MATH TONIC

Solved by Mr. Pabitra

Question 5 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 5 continued

(Total for Question 5 is 10 marks)

Solved by Mr. Pabitra

6. (a) Sketch the graph of the curve C with equation

$$y = \frac{4k}{x - 2k}$$

where k is a positive constant.

On your sketch show

- the coordinates of any points where C cuts the coordinate axes
- the equation of the vertical asymptote to C

(4)

The straight line l has equation


$$y = 6 - 2x$$

Given that there is at least one point of intersection between l and C,

(b) find the range of possible values of k.

(5)

(a) Sketch of $y = \frac{4k}{x - 2k}$



At $x = 0$: $y = \frac{4k}{-2k} = -2$

Vertical asymptote: $x = 2k$

Horizontal asymptote: $y = 0$

(b) $\frac{4k}{x - 2k} = 6 - 2x$

$4k = (6 - 2x)(x - 2k) = 6x - 12k - 2x^2 + 4kx$

$2x^2 - (6 + 4k)x + 16k = 0$ $\quad x^2 - (3 + 2k)x + 8k = 0$

At least one intersection: $b^2 - 4ac \geq 0$

$(3 + 2k)^2 - 4 \times 8k \geq 0$ $\quad 4k^2 + 12k + 9 - 32k \geq 0$

$4k^2 - 20k + 9 \geq 0$ $\quad (2k - 1)(2k - 9) \geq 0$

Critical values $k = \frac{1}{2}, \frac{9}{2}$; outside the roots, and $k > 0$:

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 6 continued

$0 < k \leq \frac{1}{2}$ or $k \geq \frac{9}{2}$

MATH TONIC

Solved by Mr. Pabitra

Question 6 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

MATH TONIC

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 6 continued

(Total for Question 6 is 9 marks)

Solved by Mr. Pabitra

7.




Figure 2

In this question you must show all stages of your working.
Solutions relying entirely on calculator technology are not acceptable.

Figure 2 shows the plan view of a design for a swimming pool.

The design consists of a sector POS of a circle centre O joined to a major sector $QORTQ$ of a different circle, also with centre O.

Given that

- angle POS is 1.65 radians
- the area of sector POS is $30\,m^2$
- $PQ = 2.8\,m$

(a) show that, to 3 significant figures, $OQ = 8.83\,m$

(3)

(b) Find the total surface area of the swimming pool in m^2 to the nearest integer.

(3)

(c) Find the total perimeter of the swimming pool in metres to 2 significant figures.

(3)

(a) Sector POS: $\frac{1}{2}r^2 \times 1.65 = 30$, $r^2 = \frac{60}{1.65} = 36.363...$

$r = OP = 6.0302...$

$OQ = OP + PQ = 6.0302... + 2.8 = 8.8302... = 8.83$ m (3 s.f.) as required

(b) Major sector angle $= 2\pi - 1.65 = 4.6331...$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

Area of major sector QORTQ = $\frac{1}{2} \times 8.8302...^2 \times 4.6331... = 180.63...$

Total = $30 + 180.63... = 210.63...$

Total surface area = $211\ m^2$

(c) Arc PS = $6.0302... \times 1.65 = 9.9498...$

Arc QTR = $8.8302... \times 4.6331... = 40.911...$

PQ + SR = $2.8 + 2.8 = 5.6$

Perimeter = $9.9498... + 40.911... + 5.6 = 56.46...$

Perimeter = 56 m (2 s.f.)

MATH TONIC

Question 7 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 7 continued

(Total for Question 7 is 9 marks)

Solved by Mr. Pabitra

8. **In this question you must show all stages of your working.**
Solutions relying on calculator technology are not acceptable.

A curve has equation $y = f(x), x > 0$

Given that

- $f'(x) = 2x + \frac{8}{x^2} + k$, where k is a constant
- the equation of the tangent to the curve at $x = \sqrt{2}$ is $y = 5x - 3\sqrt{2}$

(a) find the exact value of k.

(2)

(b) Find an equation of the normal to the curve at $x = \sqrt{2}$

(2)

(c) Find $f(x)$, writing your answer in simplest form.

(4)

(a) Gradient of tangent at $x = \sqrt{2}$ is 5: $f'(\sqrt{2}) = 2\sqrt{2} + \frac{8}{2} + k = 5$

$2\sqrt{2} + 4 + k = 5$

$\boxed{k = 1 - 2\sqrt{2}}$

(b) At $x = \sqrt{2}$: $y = 5\sqrt{2} - 3\sqrt{2} = 2\sqrt{2}$. Normal gradient $= -\frac{1}{5}$

$y - 2\sqrt{2} = -\frac{1}{5}(x - \sqrt{2})$

$\boxed{y = -\frac{1}{5}x + \frac{11\sqrt{2}}{5}}$

(c) $f(x) = \int (2x + 8x^{-2} + 1 - 2\sqrt{2})\,dx = x^2 - 8x^{-1} + (1 - 2\sqrt{2})x + c$

$f(\sqrt{2}) = 2\sqrt{2}$: $2 - \frac{8}{\sqrt{2}} + (1 - 2\sqrt{2})\sqrt{2} + c = 2\sqrt{2}$

$2 - 4\sqrt{2} + \sqrt{2} - 4 + c = 2\sqrt{2}$ $\quad -2 - 3\sqrt{2} + c = 2\sqrt{2}$, $\quad c = 2 + 5\sqrt{2}$

$\boxed{f(x) = x^2 - \frac{8}{x} + (1 - 2\sqrt{2})x + 2 + 5\sqrt{2}}$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

Solved by Mr. Pabitra

Question 8 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

MATH TONIC

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

(Total for Question 8 is 8 marks)

Solved by Mr. Pabitra

9.




Figure 3

Figure 3 shows a sketch of part of the graph of the trigonometric function with equation $y = \mathrm{f}(x)$

(a) Write down an expression for $\mathrm{f}(x)$

(2)

The point P lies on $y = \mathrm{f}(x)$ and is shown in Figure 3.

(b) State the coordinates of the point to which P is transformed when the graph of $y = \mathrm{f}(x)$ is transformed to the graph with equation

(i) $y = \mathrm{f}\left(x - \frac{\pi}{6}\right)$

(2)

(ii) $y = -\frac{1}{2}\mathrm{f}(x)$

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra
P 7 8 8 4 8 A 0 2 8 3 2

Question 9 continued

(a) Amplitude 4, period 2π, through 0 and going down first:

$$\boxed{f(x) = -4\sin x}$$

P is the maximum at $x = \frac{3\pi}{2}$: $P = \left(\frac{3\pi}{2}, 4\right)$

(b)(i) $f\left(x - \frac{\pi}{6}\right)$ is a translation $\frac{\pi}{6}$ to the right: $x = \frac{3\pi}{2} + \frac{\pi}{6} = \frac{5\pi}{3}$

$$\boxed{\left(\frac{5\pi}{3}, 4\right)}$$

(b)(ii) $-\frac{1}{2}f(x)$: y-coordinates $\times\left(-\frac{1}{2}\right)$, $4 \times \left(-\frac{1}{2}\right) = -2$

$$\boxed{\left(\frac{3\pi}{2}, -2\right)}$$

(Total for Question 9 is 6 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

10.




Figure 4

In this question you must show all stages of your working.
Solutions relying entirely on calculator technology are not acceptable.

Figure 4 shows a sketch of the curve C with equation

$$y = 2x^3 + \frac{1}{2}x^2 - 2x + 5$$

The line l is the normal to C at the point P where $x = 0$

The line l also intersects C at points Q and R as shown in Figure 4.

(a) Find, using algebra, the x coordinate of point Q.

(6)

The point T lies on C.

Given that

- the tangent to C at T is parallel to l
- the x coordinate of T is positive

(b) find, using algebra, the exact x coordinate of T.

(4)

(a) $P = (0, 5)$. $\frac{dy}{dx} = 6x^2 + x - 2$; at $x = 0$ gradient $= -2$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 10 continued

Normal gradient $= \frac{1}{2}$. $l: y = \frac{1}{2}x + 5$

$2x^3 + \frac{1}{2}x^2 - 2x + 5 = \frac{1}{2}x + 5$

$2x^3 + \frac{1}{2}x^2 - \frac{5}{2}x = 0$ $(\times 2)$ $4x^3 + x^2 - 5x = 0$

$x(4x^2 + x - 5) = 0$ $x(4x + 5)(x - 1) = 0$

$x = 0$ (P), $x = 1$ (R), $x = -\frac{5}{4}$ (Q, to the left)

x coordinate of Q $= -\frac{5}{4}$

(b) Tangent parallel to l: $6x^2 + x - 2 = \frac{1}{2}$

$12x^2 + 2x - 5 = 0$

$x = \frac{-2 \pm \sqrt{4 + 240}}{24} = \frac{-2 \pm 2\sqrt{61}}{24} = \frac{-1 \pm \sqrt{61}}{12}$

$x = \frac{-1 + \sqrt{61}}{12}$ (positive)

MATH TONIC

Solved by Mr. Pabitra

Question 10 continued

(Total for Question 10 is 10 marks)

TOTAL FOR PAPER IS 75 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Solved by Mr. Pabitra